ELSEVIER

Discrete Mathematics 179 (1998) 293–294

DISCRETE MATHEMATICS

Author index to volume 179 (1998)

Achlioptas, D., J.I. Brown, D.G. Corneil and M.S.O. Molloy, The existence of uniquely $-G$ colourable graphs (1–3) 1– 11
Ainouche, A., Quasi-claw-free graphs (1–3) 13– 26
Ajoodani-Namini, S., All block designs with $b = \binom{v}{k}/2$ exist (1–3) 27– 35
Anstee, R.P. and L. Caccetta, Orthogonal matchings (1–3) 37– 47
Aslam, M., see Q. Mushtaq (1–3) 145–154
Billington, E.J. and D.G. Hoffman, The intersection problem for star designs (*Note*) (1–3) 217–222
Boesch, F., see L. Petingi (1–3) 155–166
Bollobás, B. and O. Riordan, On some conjectures of Graffiti (*Note*) (1–3) 223–230
Borobia, A. and V. Chumillas, *-graphs of vertices of the generalized transitive tournament polytope (1–3) 49– 57
Boros, E and V. Gurvich, A corrected version of the Duchet kernel conjecture (*Note*) (1–3) 231–233
Borovik, A.V., I. Gelfand and N. White, On exchange properties for Coxeter matroids and oriented matroids (1–3) 59– 72
Boswell, S.G. and J. Simpson, Edge-disjoint maximal planar graphs (*Note*) (1–3) 235–241
Bouwkamp, C.J., On step-2 transforms for simple perfect squared squares (*Note*) (1–3) 243–252
Brown, J.I., see D. Achlioptas (1–3) 1– 11
Caccetta, L., see R.P. Anstee (1–3) 37– 47
Chen, Z.-H., Supereulerian graphs, independent sets, and degree-sum conditions (1–3) 73– 87
Chumillas, V., see A. Borobia (1–3) 49– 57
Corneil, D.G., see D. Achlioptas (1–3) 1– 11
Deutsch, E., A bijection on Dyck paths and its consequences (*Note*) (1–3) 253–256
Durand, F., A characterization of substitutive sequences using return words (1–3) 89–101
Era, H. and M. Tsuchiya, On upper bound graphs whose complements are also upper bound graphs (1–3) 103–109
Etienne, G. and M.L. Vergnas, External and internal elements of a matroid basis (1–3) 111–119
Favaron, O. and J. Puech, Irredundance in grids (*Note*) (1–3) 257–265
Gelfand, I., see A.V. Borovik (1–3) 59– 72
Gurvich, V., see E. Boros (1–3) 231–233
Higuchi, A., Lattices of closure operators (*Note*) (1–3) 267–272
Hoffman, D.G., see E.J. Billington (1–3) 217–222
Jordán, T., On the existence of (k, l)-critical graphs (*Note*) (1–3) 273–275
Klain, D.A., Kinematic formulas for finite vector spaces (1–3) 121–132
Molina, R., The centroidal branches of a separable graph are edge reconstructible (1–3) 133–143
Molloy, M.S.O., see D. Achlioptas (1–3) 1– 11
Mushtaq, Q. and M. Aslam, Group generated by two elements of orders two and six acting on $\mathbb{R}$ and $\mathbb{Q}(\sqrt{n})$ (1–3) 145–154
Nolan, J.M., C.D. Savage and H.S. Wilf, Basis partitions (*Note*) (1–3) 277–283
Östergård, P.R.J., On the structure of optimal error-correcting codes (*Note*) (1–3) 285–287
Petingi, L., F. Boesch and C. Suffel, On the characterization of graphs with maximum number of spanning trees (1–3) 155–166
Puech, J., see O. Favaron (1–3) 257–265
Riordan, O., see B. Bollobás (1–3) 223–230

Savage, C.D., see J.M. Nolan (1–3) 277–283
Schröder, B.S.W., On CC-comparability invariance of the fixed point property (1–3) 167–183
Shiraishi, S., A remark on maximum matching of line graphs (*Note*) (1–3) 289–291
Simpson, J., see S.G. Boswell (1–3) 235–241
Suffel, C., see L. Petingi (1–3) 155–166
Tsuchiya, M., see H. Era (1–3) 103–109
Vergnas, M.L., see G. Etienne (1–3) 111–119
White, N., see A.V. Borovik (1–3) 59–72
Wilf, H.S., see J.M. Nolan (1–3) 277–283
Wu, H., On contractible and vertically contractible elements in 3-connected matroids and graphs (1–3) 185–203
Zaslavsky, T., Signed analogs of bipartite graphs (1–3) 205–216